

VICARIOUS TRAUMA TIP SHEET FOR STOPPING THE VIOLENCE AND MULTICULTURAL OUTREACH WORKERS

Vicarious trauma is an unintended consequence of caring for and attending to trauma survivors. It is "the inner transformation that occurs in the inner experiences of the therapist that comes about as a result of empathic engagement with clients' trauma material" (Pearlman and Saakvitne, 1995; p. 31).

A few indicators that a Stopping the Violence or Multicultural Outreach worker may be experiencing vicarious trauma are: sleeplessness, free floating irritation, feeling trapped by your work, hopelessness associated with your work/clients, diminished sense of satisfaction, rejecting physical or emotional closeness, avoidance of working with certain clients, detachment and exhaustion. For a more thorough list of indicators, you may consult https://www.counseling.org/do cs/trauma-disaster/factsheet-9---vicarious-trauma.pdf

In addition to experiencing vicarious trauma, Outreach workers may experience secondary stress or secondary traumatic stress. Outreach workers may experience reactions that mirror the reactions of survivors to the original trauma. When experiencing secondary stress, an Outreach worker may experience flashbacks of clients' experiences, intrusive thoughts of client material and intrusive dreams, sleep disturbance and overall fear (Bellicoso, 2017).

The experience of vicarious trauma is not an indictment of our lack of self-care. Selfcare alone will not protect us from the impacts of repetitive exposure to traumatic material, although it is the foundation from which we will nourish and protect ourselves. It is imperative that we adopt processes for ourselves that both protect and replenish us within the workplace (Kearney, 2018).

Specific Considerations:

Your role is unique in that you are at the front line of poverty, homelessness and the impacts of systemic racism and ableism with many of the survivors you serve. You bear witness to the direct impact of our systems of white privilege, hierarchy and patriarchy on vulnerable, marginalized people, and how those systems perpetuate lack of safety for those you serve. As survivors navigate these systems with you, and as they see you are not able to change those systems, they may unleash their sense of impotency and rage on you, the nearest and safest person to do so. Remember this rage is their protection and their energy to keep going, and if it is being vented towards you then you are safe enough to them and you are being asked to witness the impact of these systems.

Survivors you work with often drift away from your service when they are resourced or safe enough. You frequently are not provided the opportunity to wrap up your service with a survivor, so you are often left wondering and hoping that all is well for them.

Our own trauma history, mental health baseline and intersecting identities interact with the role we hold as Outreach workers in providing us with both unique resiliencies and vulnerabilities. Although many of us have



done significant personal work before entering into the field of trauma response, it is important to stay open to moving in and out of our own personal counselling during our tenure as an Outreach worker. Trigger points of our own trauma history may be brought to the surface, or the cumulative effect of exposure to others' trauma and the lack of justice for survivors may increase feelings of depression and anxiety.

New Outreach workers are particularly vulnerable to vicarious trauma as they are viscerally exposed to trauma stories they may not have previously heard, and concurrently hold a responsibility to assist a survivor in navigating through multiple systems which may not be as responsive to the survivor or as trauma-informed

as we would like. Intersecting with family court may be specifically impactful for both new and more experienced Outreach workers, as family law prioritizes balancing the rights and needs of all parents and comes from a perspective that children's needs are best served by the active involvement of both parents. Witnessing how power and control against a survivor can be overlooked in this system is challenging, and may bring forward feelings of powerlessness and despair. More experienced Outreach workers are also particularly vulnerable to vicarious trauma as the cumulative experience of years of witnessing the impact on survivors of the erosion of formal support systems, affordable housing and other resources, leaving them in cycles of poverty and lack of safety take a toll.



Remedies:

• Personal Resilience and Self-care:

Ensure your foundation of selfcare is intact and robust. Our foundation always includes good nutrition, good sleep, regular physical exertion, regular contact with nature, loving connection with others and spiritual connection. If you are unsure about the quality of your self-care, or need some rejuvenation in that area, access one of the assessments listed below to check in with yourself and get new ideas.

• Releasing Impacts:

When attending court (or any meeting that comes with long waits) with a survivor, carry with you sensory tools that they (and you) may use during the long, anxiety-provoking waits. It is particularly beneficial to have something subtle both of you may hold in your pockets during court. Choose items that can be easily sanitized, and keep them in baggies to offset any concern of contamination. While you both are benefitting from having simple sensory movement through a fidget toy, clay or colouring, talking may be more natural and smoother in that more grounded and emotionally regulated internal space. Participating in a subtle sensory activity alongside a survivor helps them feel less vulnerable to participate. You may find it surprising how much more grounded and resourced you feel engaging in this activity.

• When a work day or session has had significant impact on you, take fifteen to twenty minutes at the end of your day to sit with a blank piece of paper and colour, scribble, or jot a few words down on what you are holding or carrying from the day. Approach the paper as your container for what you have absorbed. Continue scribbling or colouring until you feel quiet inside, then fold the paper up repeatedly until you cannot fold it any longer. Either discard it right away, or write what you are invoking for yourself as your super power, self-care, or reminder that you can be well on the outside of the folded paper, and then let the paper go.

• When a particular survivor continues to enter into your thoughts, offer loving kindness (or metta) meditation for them as a way of offering something beyond your office, but also for yourself. The teaching of loving kindness meditation is that we start with offering kindness to ourselves, then the person who is occupying our energy, and then out into the world to all beings (including our animal friends). https://positivepsychology.co m/loving-kindnessmeditation/

• Exposure to traumatic material lodges in our bodies and nervous systems. Resetting our vagus nerve (and thus stimulating our parasympathetic nervous system) throughout our workdays can assist in offsetting vicarious trauma. Simple actions like humming for two minutes, laughing out loud, or creating saliva from sucking on a strong mint or cinnamon can all stimulate your vagus nerve. For more strategies, consult https://drarielleschwartz.com /the-vagus-nerve-in-traumarecovery-dr-arielleschwartz/#.X Inn-B7lQI

• Asimple four-and-a-halfminute body practice that can assist in bringing your amygdala out of a false danger signal and stimulate your vagus nerve is described by trauma therapist Resmaa Menakem in an interview with Krista Tippett from On Being at

https://onbeing.org/blog/race -and-healing-body-practice/

• In the absence of further information, decide for yourself that no contact from a survivor is good news – that they are resourced, connected to whom they need to be in their community and safe enough. Replacing worry with the framework that no contact is a good indicator.

• Awareness: Remember the ABC's of offsetting vicarious trauma: A: awareness B: balance C: connection. Awareness invites us to have mini-rituals in our scheduled work time where we are attuning to ourselves and our needs in that moment, and the impact of the day thus far. Each bathroom break can be your tuning in time, the washing of hands a washing off of energy you have absorbed. Awareness also includes noticing and attending to the ways in which vicarious trauma is impacting or eroding your sense of self, the world, and safety. To enhance your awareness, it may be helpful to commit to completing a formal assessment of your wellbeing at least annually



(numerous assessments are listed under resources on this sheet).

Designate one person you trust who is close to you in your intimate, personal life to be your "canary in the coal mine". Educate that person about vicarious trauma, and ask them to give you a heads up when they see indicators of you being eroded by your work.

• **Balance:** From a workplace perspective, balance includes paying attention to your scheduling and caseload. If possible, schedule your more challenging clients during your more resourced time of day. Scheduling time for reflection, note taking, and phone calls is a proactive way of protecting your energy in order to reduce the sense of always feeling time-crunched.

You may find it helpful to schedule time at the end of your day for wrapping up your day - not for client interaction. If you work with other Outreach workers and have a number of survivors on your caseload who are intensely in crisis, suicidal, etc., or require time spent on multiple issues at the same time, pay attention to that and seek permission to bypass another intake who presents in that way to seek more balance in your caseload. Similarly, pay attention to the number of court accompaniments you have coming up and if possible, discuss pacing your acceptance of intakes to allow sufficient room for the increased contact with survivors that occurs close to court dates, and the unavailability that will occur over court days.



• Connection: Means

ensuring you are not isolating from your office colleagues, but also having connection to others who are not immersed in trauma work. Do your best to stay connected to the CBVS worker and/or STV Counsellor who is also working with your survivor, not only to consult and coordinate service, but to offset the isolation and occasional sense of overwhelm that can occur when we are supporting a multi-issue survivor. Connection to spirit, land, creative expression and healthy vibrant intact others helps us balance out the exposure our work creates.

• Identify a colleague from your office or another Outreach program who you will have in person or virtual lunch with every week. Have a set, repeating lunch appointment where you meet in private to just talk and eat.

- To offset the impact of not enough resources and housing for the survivors you serve, seek (as part of your paid role) to join community based antipoverty coalitions and homelessness prevention committees. It is important to not be isolated in this reality, and to see true commitment among other service providers and activists to changing these systems. It may also put you at the front of the line for learning about new or upcoming resources.
- Follow or join in with local, provincial, national, global activism against violence against women and children. Become attached to something larger than yourself; we are part of a vital global, active

community, and rabble rousing is a strong antidote to the pessimism and helplessness we can feel. One source of this activism is the United Nations, who since 2013 has been promoting 16 days annually to protest genderbased violence.

https://www.unwomen.org/en/ what-we-do/ending-violenceagainst-women/takeaction/16-days-of-activism

RESOURCES:

There is no quantitative assessment that measures vicarious trauma. Several assessments that are useful for measuring impacts are:

Professional Quality of Life Measure (2009) is a

self assessment that measures compassion satisfaction, burnout and secondary trauma. Available in multiple languages: http://www.proqol.org/Pro Qol_ Test.html

A **Burnout** self-test can be found on the Mind Tools website: https://www.mindtools.com/ pages/article/newTCS_08.htm

Silencing Response Scale

(Baranowsky 1996, 1998) is a self assessment that measures the impact of communication with trauma survivors on our ability to be present and emotionally resourced:

http://www.compassionstreng ths.com/Silencing_Response.h tml

Secondary Traumatic

Stress Scale (Bride et al. 2004) is a self assessment that measures impact of exposure to client's traumatic material: https://theacademy.sdsu.edu/wp-content/uploads/2019/09/STSSwithscoreinterpretation.pdf

Compassion Fatigue/ Satisfaction Self Test

(Stamm 2013) based on the work of Charles Figley is an opportunity to measure levels of fatigue versus satisfaction derived from one's work: https://nwdrugtaskforce.ie/ wp-content/uploads/2013/01/ Compassion-Fatigue-Handout-6.pdf

Mental Health Continuum Model for First Responders

is a simple and clear continuum that assists in identifying the nature of impact or injury to your mental health from the exposure of your work and/or life events: https://bcfirstrespondersmen talhealth. com/wpcontent/uploads/2017/06/ MentalHealthContinuumModel -1. pdf

Self-care Patterns Scale

(SCPS-R) (Gonzalez, Leeds & Knipe, 2012) is an assessment to see how robust your selfcare is in action and attitude: http://www.intra-tp.com/wpcontent/uploads/2017/02/ SELF-CARE-SCALE-with-Interpretation.pdf

Another **Self-care Assessment** was adapted based on the work of Saakvitne, Pearlman, & Staff of TSI/CAAP (1996).



An alternative way to use the assessment is to read the self-care activities and identify those you have left behind that you wish to return to, or to incorporate new self- care activities into your routines:

https://socialwork.buffalo. edu/content/dam/socialwork/ home/self-care-kit/self-careassessment.pdf

Further guides and

assessments based on the work of Saakvitne, Pearlman, & Staff of TSI is the self-care and resilience wheels created by Olga Phoenix. The self-care wheel outlines self-care in six areas of our lives, and comes with an assessment wheel and goal wheel, available at: https://olgaphoenix.com/wpcontent/uploads/2020/12/ SCWsWDmin.pdf And the resilience toolkit provides helpful information on how to build resilience focusing on self-care, relationships and living with purpose, available at: https://olgaphoenix.com/ wpcontent/uploads/2020/11/ Resilience-Wheel-Toolkit.pdf

Post traumatic growth is a concept that examines the positive changes within us due to the exposure to other's suffering. For more information see:

https://positivepsychology. com/post-traumatic-growth/

(includes several videos.) The inventory itself can be accessed at: https://www.careinnovations.

org/wp-content/uploads/Post-Traumatic-Growth-Inventory.pdf

Tara Brach has developed a mindful emotional awareness process entitled RAIN that



allows practitioners to safely connect to feeling, develop awareness, nourish oneself and release. For materials and guidance on this process visit: https://www.tarabrach.com/rain/

Guidebook on Vicarious Trauma: Recommended Solutions for Anti-Violence Workers Richardson, J. (2001): https://ovc.ojp.gov/sites/g/files/x yckuh226/files/media/document/ os_vicarious_trauma_guidebook-508.pdf

Trauma Stewardship: An Everyday Guide to Caring for Self While Caring for Others Laura van Dernoot Lipsky with Connie Burk, 2009. If you wish to view a 20-minute talk by van Dernoot Lipsky, see: https://www.youtube.com/ watch?v=uOzDGrcvmus

On Being Podcast with Krista Tippett, a weekly broadcast that explores active spirituality and self-care in our current world. Justice making, and wholistic care features in her interviews. Of particular note is starting points and care packages, broadcasts that promote practices to support those exposed to hurt: https://onbeing.org/series/ podcast/ Behind the Line Podcast with Lindsay Faas, a Lower Mainland clinical counsellor who specializes in trauma. The podcast is focused on wellness for front line responders and trauma:

https://www.my.thrive-life.ca/ behind-the-line

This project has been funded though the Department of Justice Canada and The Ministry of Public Safety and Solicitor General.



Department of Justice Canada

Ministère de la Justice Canada

